Table I-1 City of Santa Cruz 2010 Urban Water Management Plan checklist, organized by legislation number

N _a	LIMMD requirement 3	Calif. Water	Cubicat b	Additional alguification	LIM/MD le setion
No.	UWMP requirement ^a Provide baseline daily per capita water use, urban water use	Code reference 10608.20(e)	Subject ^b System	Additional clarification	UWMP location Section 4.5,
1	target, interim urban water use target, and compliance daily	10006.20(e)	Demands		pages 4-6
	per capita water use, along with the bases for determining		Domanao		through 4-16
	those estimates, including references to supporting data.				· ·
2	Wholesalers: Include an assessment of present and proposed	10608.36	System	Retailer and wholesalers	Section 1.5,
	future measures, programs, and policies to help achieve the	10608.26(a)	Demands	have slightly different	page 1-6,
	water use reductions. <i>Retailers:</i> Conduct at least one public			requirements	Appendix D
	hearing that includes general discussion of the urban retail water supplier's implementation plan for complying with the				
	Water Conservation Bill of 2009.				
3	Report progress in meeting urban water use targets using the	10608.40	Not applicable	Standardized form not yet	Not applicable
	standardized form.			available	until 2015
4	Each urban water supplier shall coordinate the preparation of	10620(d)(2)	Plan Preparation		Section 1.5,
	its plan with other appropriate agencies in the area, including				pages 1-4 and
	other water suppliers that share a common source, water management agencies, and relevant public agencies, to the				1-5, Appendix D,
	extent practicable.				page D-64
5	An urban water supplier shall describe in the plan water	10620(f)	Water Supply		Section 5.9,
	management tools and options used by that entity that will		Reliability		pages 5-24
	maximize resources and minimize the need to import water				and 5-25
	from other regions.	10001(1)			0 :: 1 =
6	Every urban water supplier required to prepare a plan	10621(b)	Plan Preparation		Section 1.5,
	pursuant to this part shall, at least 60 days prior to the public hearing on the plan required by Section 10642, notify any city				pages 1-4 and 1-5, and
	or county within which the supplier provides water supplies				Appendix D,
	that the urban water supplier will be reviewing the plan and				pages D-61
	considering amendments or changes to the plan. The urban				through D-63
	water supplier may consult with, and obtain comments from,				•
	any city or county that receives notice pursuant to this				
	subdivision.				

		Calif. Water			
No.	UWMP requirement ^a	Code reference	Subject ^b	Additional clarification	UWMP location
7	The amendments to, or changes in, the plan shall be adopted and filed in the manner set forth in Article 3 (commencing with Section 10640).	10621(c)	Plan Preparation		Section 1.5, pages 1-4 through 1-6, Section 8.3, pages 8-3 and 8-4
8	Describe the service area of the supplier	10631(a)	System Description		Chapter 2, pages 2-1 through 2-11
9	(Describe the service area) climate	10631(a)	System Description		Section 2.1, pages 2-3 through 2-5
10	(Describe the service area) current and projected population The projected population estimates shall be based upon data from the state, regional, or local service agency population projections within the service area of the urban water supplier	10631(a)	System Description	Provide the most recent population data possible. Use the method described in "Baseline Daily Per Capita Water Use." See Section M.	Section 2.2, pages 2-5 through 2-6; Section 4.5.3.2, pages 4-10 and 4-11
11	(population projections) shall be in five-year increments to 20 years or as far as data is available.	10631(a)	System Description	2035 and 2040 can also be provided to support consistency with Water Supply Assessments and Written Verification of Water Supply documents.	Section 2.2, pages 2-5 through 2-6
12	Describe other demographic factors affecting the supplier's water management planning	10631(a)	System Description		Sections 2.3, 2.4, and 2.5, pages 2-3 and 2-6 through 2-11

No.	UWMP requirement ^a	Calif. Water Code reference	Subject ^b	Additional clarification	UWMP location
13	Identify and quantify, to the extent practicable, the existing and planned sources of water available to the supplier over the same five-year increments described in subdivision (a).	10631(b)	System Supplies	The 'existing' water sources should be for the same year as the "current population" in line 10. 2035 and 2040 can also be provided to support consistency with Water Supply Assessments and Written Verification of Water Supply documents.	Sections 3.1 and 3.8, pages 3-1 through 3-4 and 3-15 through 3-18
14	(Is) groundwater identified as an existing or planned source of water available to the supplier?	10631(b)	System Supplies	Source classifications are: surface water, groundwater, recycled water, storm water, desalinated sea water, desalinated brackish groundwater, and other.	Section 3.7, pages 3-11 through 3-15
15	(Provide a) copy of any groundwater management plan adopted by the urban water supplier, including plans adopted pursuant to Part 2.75 (commencing with Section 10750), or any other specific authorization for groundwater management. Indicate whether a groundwater management plan been adopted by the water supplier or if there is any other specific authorization for groundwater management. Include a copy of the plan or authorization.	10631(b)(1)	System Supplies		Section 3.7.5, page 3-14; Appendix E
16	(Provide a) description of any groundwater basin or basins from which the urban water supplier pumps groundwater.	10631(b)(2)	System Supplies		Section 3.7.1, pages 3-11 and 3-12
17	For those basins for which a court or the board has adjudicated the rights to pump groundwater, (provide) a copy of the order or decree adopted by the court or the board	10631(b)(2)	System Supplies		Not applicable, see Section 3.7.3, pages 3-13 and 3-14

No.	UWMP requirement ^a	Calif. Water Code reference	Subject ^b	Additional clarification	UWMP location
18	(Provide) a description of the amount of groundwater the urban water supplier has the legal right to pump under the order or decree.	10631(b)(2)	System Supplies		Not applicable, see Section 3.7.2, pages 3-12 and 3-13
19	For basins that have not been adjudicated, (provide) information as to whether the department has identified the basin or basins as overdrafted or has projected that the basin will become overdrafted if present management conditions continue, in the most current official departmental bulletin that characterizes the condition of the groundwater basin, and a detailed description of the efforts being undertaken by the urban water supplier to eliminate the long-term overdraft condition.	10631(b)(2)	System Supplies		Sections 3.7.1, 3.7.3, and 3.7.5, pages 3-11 through 3-14
20	(Provide a) detailed description and analysis of the location, amount, and sufficiency of groundwater pumped by the urban water supplier for the past five years. The description and analysis shall be based on information that is reasonably available, including, but not limited to, historic use records.	10631(b)(3)	System Supplies		Sections 3.6 and 3.7.6, pages 3-8 through 3-10 and 3-15
21	(Provide a) detailed description and analysis of the amount and location of groundwater that is projected to be pumped by the urban water supplier. The description and analysis shall be based on information that is reasonably available, including, but not limited to, historic use records.	10631(b)(4)	System Supplies	Provide projections for 2015, 2020, 2025, and 2030.	Section 3-8, pages 3-15 and 3-16
22	Describe the reliability of the water supply and vulnerability to seasonal or climatic shortage, to the extent practicable, and provide data for each of the following: (A) An average water year, (B) A single dry water year, (C) Multiple dry water years.	10631(c)(1)	Water Supply Reliability		Sections 5.1 through 5.4 and 5.6, pages 5-1 through 5-5 and 5-13 through 5-17
23	For any water source that may not be available at a consistent level of use - given specific legal, environmental, water quality, or climatic factors - describe plans to supplement or replace that source with alternative sources or water demand management measures, to the extent practicable.	10631(c)(2)	Water Supply Reliability		Section 5.4, pages 5-5 through 5-10

No.	UWMP requirement ^a	Calif. Water Code reference	Subject ^b	Additional clarification	UWMP location
24	Describe the opportunities for exchanges or transfers of water on a short-term or long-term basis.	10631(d)	System Supplies		Section 5.8, pages 5-22 through 5-24
25	Quantify, to the extent records are available, past and current water use, and projected water use (over the same five-year increments described in subdivision (a)), identifying the uses among water use sectors, including, but not necessarily limited to, all of the following uses: (A) Single-family residential; (B) Multifamily; (C) Commercial; (D) Industrial; (E) Institutional and governmental; (F) Landscape; (G) Sales to other agencies; (H) Saline water intrusion barriers, groundwater recharge, or conjunctive use, or any combination thereof;(I) Agricultural.	10631(e)(1)	System Demands	Consider "past" to be 2005, present to be 2010, and projected to be 2015, 2020, 2025, and 2030. Provide numbers for each category for each of these years.	Sections 4.2, 4.3, and 4.6 pages 4-2 through 4-6 and 4-16 through 4-23
26	(Describe and provide a schedule of implementation for) each water demand management measure that is currently being implemented, or scheduled for implementation, including the steps necessary to implement any proposed measures, including, but not limited to, all of the following: (A) Water survey programs for single-family residential and multifamily residential customers; (B) Residential plumbing retrofit; (C) System water audits, leak detection, and repair; (D) Metering with commodity rates for all new connections and retrofit of existing connections; (E) Large landscape conservation programs and incentives; (F) High-efficiency washing machine rebate programs; (G) Public information programs; (H) School education programs; (I) Conservation programs for commercial, industrial, and institutional accounts; (J) Wholesale agency programs; (K) Conservation pricing; (L) Water conservation coordinator; (M) Water waste prohibition; (N) Residential ultralow-flush toilet replacement programs.	10631(f)(1)	DMMs	Discuss each DMM, even if it is not currently or planned for implementation. Provide any appropriate schedules.	Sections 6.3, 6.4, 6.5, 6.6, 6.7, 6.8, 6.9, and 6.10 pages 6-4 through 6-25 Individual DMMs are organized in the plan in order that they appear in CUWCC MOU; refer to Table 6-1 on page 6-5 for DMM/BMP comparison
27	A description of the methods, if any, that the supplier will use to evaluate the effectiveness of water demand management measures implemented or described under the plan.	10631(f)(3)	DMMs		Section 6.11, pages 6-25 and 6-26

No.	UWMP requirement ^a	Calif. Water Code reference	Subject ^b	Additional clarification	UWMP location
28	An estimate, if available, of existing conservation savings on water use within the supplier's service area, and the effect of the savings on the supplier's ability to further reduce demand.	10631(f)(4)	DMMs		Sections 6.12 and 6.13, pages 6-26 through 6-29
29	An evaluation of each water demand management measure listed in paragraph (1) of subdivision (f) that is not currently being implemented or scheduled for implementation. In the course of the evaluation, first consideration shall be given to water demand management measures, or combination of measures, that offer lower incremental costs than expanded or additional water supplies. This evaluation shall do all of the following: (1) Take into account economic and noneconomic factors, including environmental, social, health, customer impact, and technological factors; (2) Include a cost-benefit analysis, identifying total benefits and total costs; (3) Include a description of funding available to implement any planned water supply project that would provide water at a higher unit cost; (4) Include a description of the water supplier's legal authority to implement the measure and efforts to work with other relevant agencies to ensure the implementation of the measure and to share the cost of implementation.	10631(g)	DMMs	See 10631(g) for additional wording.	Not applicable; City is currently implementing all DMMs/BMPs
30	(Describe) all water supply projects and water supply programs that may be undertaken by the urban water supplier to meet the total projected water use as established pursuant to subdivision (a) of Section 10635. The urban water supplier shall include a detailed description of expected future projects and programs, other than the demand management programs identified pursuant to paragraph (1) of subdivision (f), that the urban water supplier may implement to increase the amount of the water supply available to the urban water supplier in average, single-dry, and multiple-dry water years. The description shall identify specific projects and include a description of the increase in water supply that is expected to be available from each project. The description shall include an estimate with regard to the implementation timeline for each project or program.	10631(h)	System Supplies		Section 5.7, pages 5-17 through 5-22

No.	UWMP requirement ^a	Calif. Water Code reference	Subject ^b	Additional clarification	UWMP location
31	Describe the opportunities for development of desalinated water, including, but not limited to, ocean water, brackish water, and groundwater, as a long-term supply.	10631(i)	System Supplies		Section 5.7, pages 5-17 through 5-22
32	Include the annual reports submitted to meet the Section 6.2 requirement (of the MOU), if a member of the CUWCC and signer of the December 10, 2008 MOU.	10631(j)	DMMs	Signers of the MOU that submit the annual reports are deemed compliant with Items 28 and 29.	The City is a signatory to the MOU, but is opting to provide a comprehensive narrative about its water conservation program in Chapter 6 in lieu of simply providing copies of its BMP implementation reports
33	Urban water suppliers that rely upon a wholesale agency for a source of water shall provide the wholesale agency with water use projections from that agency for that source of water in five-year increments to 20 years or as far as data is available. The wholesale agency shall provide information to the urban water supplier for inclusion in the urban water supplier's plan that identifies and quantifies, to the extent practicable, the existing and planned sources of water as required by subdivision (b), available from the wholesale agency to the urban water supplier over the same five-year increments, and during various water-year types in accordance with subdivision (c). An urban water supplier may rely upon water supply information provided by the wholesale agency in fulfilling the plan informational requirements of subdivisions (b) and (c).	10631(k)	System Demands	Average year, single dry year, multiple dry years for 2015, 2020, 2025, and 2030.	Not applicable; the City does not rely on a wholesale agency for a source of water; Refer to Sections 3.1 and 3.8, pages 3-1 and 3-2 and Table 3-4 on page 3-16

No.	UWMP requirement ^a	Calif. Water Code reference	Subject ^b	Additional clarification	UWMP location
34	The water use projections required by Section 10631 shall include projected water use for single-family and multifamily residential housing needed for lower income households, as defined in Section 50079.5 of the Health and Safety Code, as identified in the housing element of any city, county, or city and county in the service area of the supplier.	10631.1(a)	System Demands		Sections 2.3 and 4.7, pages 2-6 through 2-8 and page 4-23; Appendix J
35	Stages of action to be undertaken by the urban water supplier in response to water supply shortages, including up to a 50 percent reduction in water supply, and an outline of specific water supply conditions which are applicable to each stage.	10632(a)	Water Supply Reliability		Sections 8.5 and 8.6, pages 8-5 through 8-13; Also see Sections 3.1 and 3.4 of City's 2009 Water Shortage Contingency Plan and Section 2.6 for a description of the analysis of water supply conditions used to determine water shortage stage
36	Provide an estimate of the minimum water supply available during each of the next three water years based on the driest three-year historic sequence for the agency's water supply.	10632(b)	Water Supply Reliability		Section 8.9, pages 8-17 and 8-18
37	(Identify) actions to be undertaken by the urban water supplier to prepare for, and implement during, a catastrophic interruption of water supplies including, but not limited to, a regional power outage, an earthquake, or other disaster.	10632(c)	Water Supply Reliability		Section 8.10, pages 8-18 through 8-21

No.	UWMP requirement ^a	Calif. Water Code reference	Subject ^b	Additional clarification	UWMP location
38	(Identify) additional, mandatory prohibitions against specific water use practices during water shortages, including, but not limited to, prohibiting the use of potable water for street	10632(d)	Water Supply Reliability		Section 8.6.2, page 8-9
	cleaning.				Also see
	3				Appendix R,
					Section
					16.01.060,
					pages R-3 and R-4
39	(Specify) consumption reduction methods in the most	10632(e)	Water Supply		Section 8.6.2,
	restrictive stages. Each urban water supplier may use any	, ,	Reliability		page 8-9 and
	type of consumption reduction methods in its water shortage		·		Table 8-5 on
	contingency analysis that would reduce water use, are appropriate for its area, and have the ability to achieve a				page 8-11
	water use reduction consistent with up to a 50 percent				Also see City's
	reduction in water supply.				2009 Water
					Shortage
					Contingency
					Plan, Section
					3.4 for
					consumption
					reduction
					measures at
					each stage
Ю	(Indicated) penalties or charges for excessive use, where	10632(f)	Water Supply		Section 8.6.5,
	applicable.		Reliability		pages 8-12
					and 8-13

No.	UWMP requirement ^a	Calif. Water Code reference	Subject ^b	Additional clarification	UWMP location
41	An analysis of the impacts of each of the actions and conditions described in subdivisions (a) to (f), inclusive, on the revenues and expenditures of the urban water supplier, and proposed measures to overcome those impacts, such as the	10632(g)	Water Supply Reliability		Section 8.7.3, pages 8-14 and 15
	development of reserves and rate adjustments.				Also see City's 2009 Water Shortage Contingency Plan, Section
					4.5, pages 4-5 through 4-8
42	(Provide) a draft water shortage contingency resolution or ordinance.	10632(h)	Water Supply Reliability		Appendix Q (resolution) and Appendix R (ordinance)
43	(Indicate) a mechanism for determining actual reductions in water use pursuant to the urban water shortage contingency analysis.	10632(i)	Water Supply Reliability		Section 8.7.4, pages 8-15 and 8-16
44	Provide, to the extent available, information on recycled water and its potential for use as a water source in the service area of the urban water supplier. The preparation of the plan shall be coordinated with local water, wastewater, groundwater, and planning agencies that operate within the supplier's service area	10633	System Supplies		See entire Chapter 7, pages 7-1 through 7-11
45	(Describe) the wastewater collection and treatment systems in the supplier's service area, including a quantification of the amount of wastewater collected and treated and the methods of wastewater disposal.	10633(a)	System Supplies		Sections 7.1 and 7.2, pages 7-1 through 7-3
46	(Describe) the quantity of treated wastewater that meets recycled water standards, is being discharged, and is otherwise available for use in a recycled water project.	10633(b)	System Supplies		Section 7.3, page 7-4
47	(Describe) the recycled water currently being used in the supplier's service area, including, but not limited to, the type, place, and quantity of use.	10633(c)	System Supplies		Section 7.3, page 7-4

No.	UWMP requirement ^a	Calif. Water Code reference	Subject ^b	Additional clarification	UWMP location
48	(Describe and quantify) the potential uses of recycled water, including, but not limited to, agricultural irrigation, landscape irrigation, wildlife habitat enhancement, wetlands, industrial reuse, groundwater recharge, indirect potable reuse, and other appropriate uses, and a determination with regard to the technical and economic feasibility of serving those uses.	10633(d)	System Supplies		Sections 7.4 and 7.5, pages 7-4 through 7-10
49	(Describe) The projected use of recycled water within the supplier's service area at the end of 5, 10, 15, and 20 years, and a description of the actual use of recycled water in comparison to uses previously projected pursuant to this subdivision.	10633(e)	System Supplies		Section 7.6, pages 7-10 and 7-11
50	(Describe the) actions, including financial incentives, which may be taken to encourage the use of recycled water, and the projected results of these actions in terms of acre-feet of recycled water used per year.	10633(f)	System Supplies		Section 7.7, page 7-11
51	(Provide a) plan for optimizing the use of recycled water in the supplier's service area, including actions to facilitate the installation of dual distribution systems, to promote recirculating uses, to facilitate the increased use of treated wastewater that meets recycled water standards, and to overcome any obstacles to achieving that increased use.	10633(g)	System Supplies		Section 7.7, page 7-11
52	The plan shall include information, to the extent practicable, relating to the quality of existing sources of water available to the supplier over the same five-year increments as described in subdivision (a) of Section 10631, and the manner in which water quality affects water management strategies and supply reliability.	10634	Water Supply Reliability	For years 2010, 2015, 2020, 2025, and 2030	Section 5.10, pages 5-25 though 5-27

No.	UWMP requirement ^a	Calif. Water Code reference	Subject ^b	Additional clarification	UWMP location
53	Every urban water supplier shall include, as part of its urban water management plan, an assessment of the reliability of its water service to its customers during normal, dry, and multiple dry water years. This water supply and demand assessment shall compare the total water supply sources available to the water supplier with the total projected water use over the next 20 years, in five-year increments, for a normal water year, a single dry water year, and multiple dry water years. The water service reliability assessment shall be based upon the information compiled pursuant to Section 10631, including available data from state, regional, or local agency population projections within the service area of the urban water supplier.	10635(a)	Water Supply Reliability		Section 5.6, pages 5-13 through 5-17
54	The urban water supplier shall provide that portion of its urban water management plan prepared pursuant to this article to any city or county within which it provides water supplies no later than 60 days after the submission of its urban water management plan.	10635(b)	Plan Preparation		Section 1.5, page 1-6
55	Each urban water supplier shall encourage the active involvement of diverse social, cultural, and economic elements of the population within the service area prior to and during the preparation of the plan.	10642	Plan Preparation		Section 1.5, page 1-5 Refer to Appendix D for written public input received on plan

No.	UWMP requirement ^a	Calif. Water Code reference	Subject ^b	Additional clarification	UWMP location
56	Prior to adopting a plan, the urban water supplier shall make the plan available for public inspection and shall hold a public hearing thereon. Prior to the hearing, notice of the time and place of hearing shall be published within the jurisdiction of the publicly owned water supplier pursuant to Section 6066 of the Government Code. The urban water supplier shall provide notice of the time and place of hearing to any city or county within which the supplier provides water supplies. A privately owned water supplier shall provide an equivalent notice within its service area.	10642	Plan Preparation		Section 1.5, pages 1-5 and 1-6 Refer to Appendix D for Notice of Public Hearing (page D-9) and notices sent to city/county agencies served (pages D-56 through D-59), and September 29 news release notifying public of plan availability (page D-60)
57	After the hearing, the plan shall be adopted as prepared or as modified after the hearing.	10642	Plan Preparation		Section 1.5, page 1-6

No.	UWMP requirement ^a	Calif. Water Code reference	Subject ^b	Additional clarification	UWMP location
58	An urban water supplier shall implement its plan adopted pursuant to this chapter in accordance with the schedule set forth in its plan.	10643	Plan Preparation		Section 1.5, page 1-4
	TOTH IT IS Plan.				Implementation of water supply project – see Sections 5.7.2 and 5.7.3, pages 5-17 through 5-19
					Implementation of water conservation programs – see Sections 6.2, 6.10 and 6.12, pages 6-3, 6-4, 6-25
					and 6-26 through 6-28
					Implementation of water shortage planning – see section 1.5, 8.2 and 8.3, pages 1-4, 8-1, 8-3, and 8-4;
					Also see City's 2009 Water Shortage Contingency Chapter 1

No.	UWMP requirement ^a	Calif. Water Code reference	Subject ^b	Additional clarification	UWMP location
59	An urban water supplier shall submit to the department, the California State Library, and any city or county within which the supplier provides water supplies a copy of its plan no later than 30 days after adoption. Copies of amendments or changes to the plans shall be submitted to the department, the California State Library, and any city or county within which the supplier provides water supplies within 30 days after adoption.	10644(a)	Plan Preparation		Section 1.5, page 1-6
60	Not later than 30 days after filing a copy of its plan with the department, the urban water supplier and the department shall make the plan available for public review during normal business hours.	10645	Plan Preparation		Section 1.5, page 1-6

a The UWMP Requirement descriptions are general summaries of what is provided in the legislation. Urban water suppliers should review the exact legislative wording prior to submitting its UWMP.

b The Subject classification is provided for clarification only. It is aligned with the organization presented in Part I of this guidebook. A water supplier is free to address the UWMP Requirement anywhere with its UWMP, but is urged to provide clarification to DWR to facilitate review.